

- [9] Economides M, Oligney R, and Valkó P. 2002. Unified fracture design, Chapter- 8: Bridging the gap between theory and practice. Orsa Press, ISBN-13: 978-0971042704.
- [10] Garavand A, and Podgornov VM. Hydraulic fracture optimization by using a modified Pseudo-3D model in multi-layered reservoirs. *Journal of Natural Gas Geoscience*, 2018; 3(4): 233-242.
- [11] Mendelsohn DA. A review of hydraulic fracture modeling—II: 3D modeling and vertical growth in layered rock. *ASME J. Energy Resour. Technol*, 1984; 106(4): 543-553.
- [12] Palmer ID, and Luiskuty CT. Comparison of Hydraulic Fracture Models for Highly Elongated Fractures of Variable Height. *ASME J. Energy Resour. Technology*, 1986; 108(2): 107-115.
- [13] Ahn CH, Dilmore R, and Wang JY. Modeling of hydraulic fracture propagation in shale gas reservoirs: a three-dimensional, two-phase model. *ASME J. Energy Resour. Technology*, 2017; 139(1): 012903.
- [14] Elkatatny S. Application of Artificial Intelligence Techniques to Estimate the Static Poisson's Ratio Based on Wireline Log Data. *ASME J. Energy Resour. Technology*, 2018; 140(7): 072905.
- [15] Elgibaly AA, and Elkamel AM. A new correlation for predicting hydrate formation conditions for various gas mixtures and inhibitors. *Fluid Phase Equilibria*, 1998; 152(1): 23-42.
- [16] Lek S, and Guégan JF. Artificial neural networks as a tool in ecological modelling, an introduction. *Ecological modelling*, 1999; 120(2-3): 65-73.
- [17] Fath AH, Madanifar F, and Abbasi M. Implementation of multilayer perceptron (MLP) and radial basis function (RBF) neural networks to predict solution gas-oil ratio of crude oil systems. *Petroleum*, 2020, 6(1): 80-91
- [18] ElGibaly A, and Osman MA. Perforation friction modeling in limited entry fracturing using artificial neural network. *Egyptian Journal of Petroleum*, 2019; 28(3): 297-305.
- [19] Kantzas A, Bryan J, and Taheri S. Fundamentals of fluid flow in porous media. Pore size distribution, Chapter 2, 2012.
<https://perminc.com/resources/fundamentals-of-fluid-flow-in-porous-media/chapter-2-the-porous-medium/>
- [20] Mohamed IM, Mohamed S, Mazher I, and Chester P. September. Formation Lithology Classification: Insights into Machine Learning Methods. In SPE Annual Technical Conference and Exhibition. SPE-196096-MS.
- [21] Garcia DG, Prioletta A and Kruse GF. Effective control of vertical fracture growth by placement of an artificial barrier (Bottom Screen Out) in an exploratory well. In SPE Latin American and Caribbean Petroleum Engineering Conference. Society of Petroleum Engineers 2001.
- [22] Mukherjee H, Paoli BF, McDonald T, Cartaya H, and Anderson JA. Successful control of fracture height growth by placement of artificial barrier. *SPE Production & Facilities*, 1995; 10(02): 89-95.
- [23] Warpinski NR, Clark JA, Schmidt RA, and Huddle CW. 1981. Laboratory investigation on the effect of in situ stresses on hydraulic fracture containment. (No. SAND-80-2307C; CONF-810518-5). Sandia National Labs., Albuquerque, NM (USA).
- [24] Simonson ER, Abou-Sayed AS, and Clifton RJ. Containment of massive hydraulic fractures. *Society of Petroleum Engineers Journal*, 1978; 18(01): 27-32.
- [25] Zhou B, Vogt RD, Lu X, Xu C, Zhu L, Shao X, Liu H, and Xing M. Relative importance analysis of a refined multi-parameter phosphorus index employed in a strongly agriculturally influenced watershed. *Water Air Soil Pollut.*, 2015; 226: 25
- [26] Talbot DM, Hemke KA, and Leshchyshyn TH. Stimulation fracture height control above water or depleted zones. In SPE Rocky Mountain Regional/Low-Permeability Reservoirs Symposium and Exhibition 2000.. SPE -60318-MS.
- [27] Salem A, Elgibaly A, Attia M, and Abdurraheem A. Comparing 5-Different Artificial Intelligence Techniques to Predict Z-Factor. In SPE Kingdom of Saudi Arabia Annual Technical Symposium and Exhibition 2018. SPE-192354-MS.

To whom correspondence should be addressed: Mahmoud A. A. El-Fattah, Qarun Petroleum Company, Egypt, E-mail: mahmoud.ali.abd.el.fatah@yahoo.com